

PATIENT CONSENT FOR RADIESSE®

The use, indications, contraindications and potential adverse effects of treatment with Radiesse have been explained to me. I understand the information provided. I have answered all questions regarding my medical history fully and to the best of my knowledge. I have had the opportunity to have all my questions answered regarding Radiesse to my satisfaction by my physician/healthcare professional (HCP).

Injection treatment with Radiesse

I CLEARLY UNDERSTAND THAT:

- Radiesse is a calcium Hydroxylapatite which occurs naturally in the body.
- Radiesse is injected via a syringe into the skin to temporarily correct moderate to severe facial wrinkles and folds and contours of the face or to temporarily increase the volume of the mid face, and for the rejuvenation of the hand.
- Radiesse provides correction range from 6-12 months. This effect varies depending on areas of injection, type of skin, amount injected and injection technique.
- A touch-up and follow up treatments a few weeks after the first injection may help to enhance persistence and optimize results.
- A local anesthetic will be administered as necessary by the physician/HCP.
- This is a cosmetic procedure and my physician/HCP has advised me of the amount of product required and the cost of the treatment.

Possible side effects and complications

I CLEARLY UNDERSTAND THAT AFTER INJECTION OF RADIESSE, THERE ARE SOME COMMON POTENTIAL SIDE EFFECTS WHICH INCLUDE AND MAY NOT BE LIMITED TO THE FOLLOWING:

- Inflammatory reactions such as redness, edema and/or erythema, which may be accompanied by stinging, itching, pain or tenderness. These reactions are generally described as mild to moderate and typically disappear in a few days. Some may last up to one week. For the hand treatment, swelling can persist for 2-3 weeks in some patients, and may begin 1-2 weeks after the treatment. Occupations and/or activities requiring fine motor skills of hands may be affected by swelling, prohibiting function.
- Swelling or bruising or nodules may develop at the injection site.
- Other types of reaction are rare, but approximately one in every 10,000 treated patients has experienced localized allergic reactions after one or more injection treatments. They have been described as mild to moderate with an average duration of two weeks.
- Persistence of inflammatory reactions for more than one week or the development of any other side effect must be reported to the physician as soon as possible.
- Increase of bruising or bleeding at injection site if using a substance such as aspirin, anticoagulants, acetaminophen or ibuprofen.

I HAVE INFORMED MY PHYSICIAN/HCP OF MY MEDICAL HISTORY AND I CLEARLY UNDERSTAND THAT I CANNOT BE TREATED WITH RADIESSE:

- If I am pregnant or breast-feeding
- In areas presenting with inflammatory and/or infectious skin problems (acne, etc.)
- If I have a known hypersensitivity to any of the components
- If I have a tendency to develop hypertrophic scarring
- If I have systemic disorders which cause poor wound healing
- If I have a past history of autoimmune disease
- If I am receiving immunotherapy treatments
- If I had permanent fillers before (i.e. Dermalive)
- If I am taking Steroids

I have informed my physician about all of the medications that I have taken or am currently taking including herbal medications (i.e. St John's Wort). I have read the information provided in the record of consultation for Radiesse in its entirety and have discussed the risks and benefits of Radiesse with my physician/HCP or his/her representative. I understand the information provided.

I give my consent to injection of Radiesse

I give my consent to use anaesthetics before or during treatment

PHOTOGRAPHS:

I authorize the taking of clinical photographs and their use for scientific purposes both in publications and presentations. I understand my identity will be protected.

Name (Patient): _____

Signature: _____ Date: _____

Name (Physician/HCP): _____

Signature: _____ Date: _____

(Thank you for providing this information. All patient notes, treatment details and contact information are confidential)